


GLADIATOR

SUP
2020




Gladiator Light Series



Gladiator LT SUP boards are our basic series for those who wish to try their hand at the new sport without any serious investments. Available for sale since spring 2019, these models have quickly become a real bestseller. Bright, affordable, and reliable, they have gained popularity both with general users and with professionals from rental centers. The LT series includes six models of the most popular sizes for kids and adults. The models of the year 2020 are made of single-layer PVC on a strong, 1000den textile substrate. For better rigidity, the upper and lower surfaces of these SUP boards are fitted with stringers, which are essentially additional wide strips of reinforced PVC. The side faces of the LT boards are provided with a double reinforced edge. The models are supplied with a double-acting pump, a leash, an aluminum paddle, and a backpack, which can accommodate both the board itself and all the accessories.

Gladiator Rental Series



The Gladiator Rental series was developed specially for professional use in rental centers. Three models of the most popular and demanded sizes - the 10'6 and 10'8 universal boards and the 12'6 touring board - are able to withstand the rider's weight of 90, 130 and 150 kg, respectively. The design of these boards is based on that of the Gladiator LT series, which has gained an excellent reputation among our partners in 2019. In the new season, we have designed these models to be two-layered ones, thus making them even more reliable and durable. Included in the package are a leash and a fin. Nothing in excess: An excellent solution at a favorable price.

**RENTAL
10'6**



**RENTAL
10'8**




**RENTAL
12'6**



Model	RENTAL 10'6	RENTAL 10'8	RENTAL 12'6S
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	30 / 76
Thichness (inch, cm)	4.75 / 12	6 / 15	6 / 15
Weight(Kg)	10	11	9
Riders weight (max Kg)	90	110	150
Volume (litres)	240	296	350
Maximum pressure	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years

Gladiator Pro Series



The Gladiator Pro series combines the quality and reliability of our super-popular SUP boards of the 'blue' BL series and a new design, which allows the models to look still better on water. The rigid, strong, maneuverable, and well-balanced SUP boards with an excellent package of accessories are suitable both for amateur and professional applications. The Gladiator Pro family includes ten SUP boards with sizes ranging from 8 to 12'6. The boards utilize the Fusion technology and are made of high-quality two-layered PVC on a 1000den textile substrate. We have improved the models of 2020 by adding reinforced double edges manufactured using the **Xstrong edge innovative technology**. In terms of external appearance, these edges are twice as narrow as their predecessors but are much stronger. Thanks to their design and attachment method, the edges that utilize the XStrong edge technology ensure an effect of a 'solid' board by becoming an integral part of it. The new-generation SUP boards offer incredible rigidity, which will surely be appreciated both by demanding riders and by professionals. The Gladiator Pro boards are noted for high resistance to mechanical damage, and will withstand more than one season of beach adventures without being affected by stones or sand. All the Pro models come with a Bravo Italian-manufactured double-acting pump, a hinged leash, a strong collapsible paddle with a fiberglass blade, and a convenient and capacious roller bag.

**PRO
8'0**



**PRO
9'6**



**PRO
10'4**



**PRO
10'6**



**PRO
10'7
WindSu
p**



Model	PRO 8'0	PRO 9'6	PRO 10'4	PRO 10'6	PRO 10'7
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	8.0"/244	9.6"/292	10.4"/317	10.6"/323	10.7"/326
Width (inch, cm)	30 / 76	30 / 76	31 / 79	32 / 81	32 / 81
Thichness (inch, cm)	4 / 10	4 / 10	4.75 / 12	4.75 / 12	4.75 / 12
Weight(Kg)	8,5	8,5	9	9,5	9,5
Riders weight (max Kg)	60	95	95	120	120
Volume (litres)	190	190	200	240	240
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years

**PRO
10'8**



**PRO
11'2**



**PRO
11'4**



**PRO
12'6S**



**PRO
12'6T**



Model	PRO 10'8	PRO 11'2	PRO 11'4	PRO 12'6S	PRO 12'6T
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.8"/329	11.2"/341	11.4"/347	12.6"/384	12.6"/384
Width (inch, cm)	34 / 86	31 / 79	32 / 81	30 / 76	32 / 81
Thichness (inch, cm)	6 / 15	4.75 / 12	4.75 / 12	6 / 15	6 / 15
Weight(Kg)	10,5	10	10,5	11	11
Riders weight (max Kg)	130	110	120	150	150
Volume (litres)	296	250	250	330	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI 8
Warranty	3 years	3 years	3 years	3 years	3 years


Gladiator Pro Design Series



MAXIMUM RIGIDITY



STRENGTH



In the Gladiator PRO Design series, we have gathered together seven trendy SUP boards, which come with an excellent package. These models offer all the best features of the PRO series complemented by a bright and photogenic appearance. The boards are made of high-quality PVC interconnected using the Fusion technology, on a strong 1000den textile substrate. The strong reinforcing threads and a double edge utilizing the **Xstrong edge innovative technology** render additional rigidity to the models. Thanks to their design and attachment method, the narrow super-strong edges that are made using the XStrong edge technology ensure an effect of a 'solid' board by becoming an integral part of it. The new-generation SUP boards offer incredible rigidity, which will surely be appreciated both by demanding riders and by professionals. Such a buy will serve more than one season. A Gladiator PRO Design board is an excellent investment in quality leisure. Boards of this series come with a carbon paddle with a fiberglass blade, a capacious roller bag, a quality leash, a Bravo Italian-manufactured double-acting pump, and a repair kit.

**PRO
10'4
DESIGN**



**PRO
10'6
DESIGN**



**PRO
10'8
DESIGN**



**PRO
11'2
DESIGN**



**PRO
11'4
DESIGN**



**PRO
12'6S
DESIGN**



**PRO
12'6T
DESIGN**



Model	PRO 10'4 DESIGN	PRO 10'6 DESIGN	PRO 10'8 DESIGN	PRO 11'2 DESIGN	PRO 11'4 DESIGN	PRO 12'6S DESIGN	PRO 12'6T DESIGN
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.4"/317	10.6"/323	10.8"/329	11.2"/341	11.4"/347	12.6"/384	12.6"/384
Width (inch, cm)	31 / 79	32 / 81	34 / 86	31 / 79	32 / 81	30 / 76	32 / 81
Thichness (inch, cm)	4.75 / 12	4.75 / 12	6 / 15	4.75 / 12	4.75 / 12	6 / 15	6 / 15
Weight(Kg)	9	9,5	10,5	10	12 10,5	8	150
Riders weight (max Kg)	95	120	130	110	120	150	310
Volume (litres)	200	240	296	250	250	310	26PSI
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	3 years
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	


Gladiator Elite Series

The Gladiator Elite series is a successor of our premium D7 family. To emphasize the kinship between these models, we have retained some of the design elements.

The series includes 11 SUP boards ranging from 10'4 to 22' in size and coming with a maximum package. They are made of two-layered PVC interconnected using the Fusion technology, on a 1000den textile substrate. The special structure of the substrate provides for an incredibly light weight of these SUP boards. In 2020, we have reinforced the models with a double edge utilizing the **Xstrong edge innovative technology**. The new technology allowed us to achieve a 'solid' board effect. Thanks to its design and attachment method, the narrow super-strong edge becomes an integral part of the SUP board. As a result, the board offers an incredible rigidity and a breathtaking water-based leisure experience.

The excellent usability of the Gladiator Elite series is complemented by a good package of extras. Included in the package are an all-carbon collapsible paddle, a quality leash, a Bravo Italian-manufactured double-acting pump, a repair kit, and a fine-looking capacious roller bag.

A minimum weight, a focus on details, excellent handling properties, and the super-reliable base under your feet: the Gladiator Elite boards are an uncompromising solution for those who chose the maximum.



**ELIT
E
10'4**



**ELIT
E
10'6**



**ELIT
E
10'8**



**ELIT
E
11'2**



**ELIT
E
11'4**



**ELIT
E
11'6**



Model	ELITE 10'4	ELITE 10'6	ELITE 10'8	ELITE 11'2	ELITE 11'4	ELITE 11'6
Material	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave
Lenght (ft, cm)	10.4"/317	10.6"/323	10.8"/329	11.2"/341	11.4"/347	11.6"/354
Width (inch, cm)	31 / 79	32 / 81	34 / 86	30 / 76	32 / 81	34 / 86
Thichness (inch, cm)	4.75 / 12	4.75 / 12	6 / 15	4.75 / 12	4.75 / 12	6 / 15
Weight(Kg)	8,3	8,5	9,3	10	10	10
Riders weight (max Kg)	95	120	310	250	330	330
Maximum pressure	200	300	26PSI	26PSI	26PSI	26PSI
Warranty	26PSI 3 years	26PSI 3 years	3 years	3 years	3 years	3 years

**ELIT
E
12'6S**



**ELITE
12'6T**



**ELIT
E
14'0R**



**ELIT
E
14'0S**




**ELIT
E
14'0T**



Model	ELITE 12'6S	ELITE 12'6T	ELITE 14'0R	ELITE 14'0S	ELITE 14'0T
Material	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave	Double layer Machine Weave
Lenght (ft, cm)	12.6"/384	12.6"/384	14.0"/427	14.0"/427	14.0"/427
Width (inch, cm)	30 / 76	32 / 81	25/ 63	27 / 69	30 / 76
Thichness (inch, cm)	6 / 15	6 / 15	6 / 15	6 / 15	6 / 15
Weight(Kg)	8	9	10	11	12
Riders weight (max Kg)	150	150	130	130	130
Volume (litres)	310	350	360	360	360
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years

Gladiator Art Series



The Gladiator ART series consists of 12 unique-design SUP boards, each of which may be ordered in one of the four most demanded sizes: 10'6, 10'8, 11'4, and 12'6. The season's hottest trends offering the most gorgeous design!

The strong, well-balanced, and maneuverable Gladiator ART SUP boards are made of two-layered PVC on a 1000den textile substrate, interconnected using the Fusion technology.

The narrow double edge in these models utilizes the innovative **Xstrong edge technology**. Thanks to its design and attachment method, it ensures an effect of a 'solid' board by becoming an integral part of it. Such solution allowed us to make the Gladiator ART boards not only fine-looking but also unbelievably rigid.

The package includes all the necessary extras such as a trendy and convenient roller bag, a collapsible carbon paddle with a fiberglass blade, an Italian-manufactured double-acting pump, a quality leash, and a repair kit.

ART 90th



ART AVO



Model	90th 10'6	90th 10'8	90th 11'4	90th 12'6	AVO 10'6	AVO 10'8	AVO 11'4	AVO 12'6
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	11.4"/347	12.6"/384	10.6"/323	10.8"/329	11.4"/347	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thickness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	120	150	120	130	120	150
Volume (litres)	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

ART MERMAID




ART FOREST



Model	MERMAID 10'6	MERMAID 10'8	MERMAID 11'4	MERMAID 12'6	FOREST 10'6	FOREST 10'8	FOREST 11'4	FOREST 12'6
Material	Double layer Fusion	Double layer Fusion	11'4 Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	Fusion	12.6"/384	10.6"/323	10.8"/329	11.4"/347	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	11.4"/347	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thichness (inch, cm)	4.75 / 12	6 / 15	32 / 81	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	4.75 / 12	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	10,5	150	120	130	120	150
Volume (litres)	240	296	120	330	240	296	250	330
Maximum pressure	26PSI	26PSI	250	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	26PSI 3 years	3 years	3 years	3 years	3 years	3 years

ART SEAL



ART OCTOPUS



Model	SEAL 10'6	SEAL 10'8	SEAL 11'4	SEAL 12'6	OCTOPUS 10'6	OCTOPUS 10'8	OCTOPUS 11'4	OCTOPUS 12'6
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	11.4"/347	12.6"/384	10.6"/323	10.8"/329	11.4"/347	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thichness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	120	150	120	130	120	150
Volume (litres)	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

ART NATURE



ART SHRIMP



Model	NATURE 10'6	NATURE 10'8	NATURE 11'4	NATURE 12'6	SHRIMP 10'6	SHRIMP 10'8	SHRIMP 11'4	SHRIMP 12'6
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	11.4"/347	12.6"/384	10.6"/323	10.8"/329	11.4"/347	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thickness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	120	150	120	130	120	150
Volume (litres)	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

ART RIDE




ART SUP my love



Model	RIDE 10'6	RIDE 10'8	RIDE 11'4	RIDE 12'6	SUP my love	SUP my love	SUP my love 11'4	SUP my love 12'6
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	10'6 Double layer Fusion	10'8 Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	11.4"/347	12.6"/384	10.6"/323	10.8"/329	11.4"/347	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thichness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	120	150	120	130	120	150
Volume (litres)	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

ART SWAG



ART TATTOO



Model	SWAG 10'6	SWAG 10'8	SWAG 11'4	SWAG 12'6	TATTOO 10'6	TATTOO 10'8	TATTOO 11'4	TATTOO 12'6
Material	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion	Double layer Fusion
Lenght (ft, cm)	10.6"/323	10.8"/329	11.4"/347	12.6"/384	10.6"/323	10.8"/329	11.4"/347	12.6"/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thickness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	120	150	120	130	120	150
Volume (litres)	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years


Gladiator Fishing Series

The Gladiator Fishing 12'6 SUP board is a hot new product of 2020 for those who favor bright adventures and unconventional leisure. We have combined the trendiest sport and the most popular hobby to create a convenient model with a 'manly' behavior, which is ready to set out on a breathtaking trip.

The stable and well-balanced Gladiator Fishing 12'6 SUP board ensures a strong base under your feet at a standard inflation status. It is made of high-quality two-layered 1000den PVC interconnected using the Fusion technology, and is fitted with a double reinforced edge. The SUP board offers enough space to accommodate a fisherman, the fishing gear, and the catch.

With a width of 97cm, the board is a real raft with a paddle. With the Gladiator Fishing 12'6, stand-up fishing is convenient. The board does not sag under the fisherman's feet, nor does it require any effort to hold balance. If you wish, you can take a convenient chair with you, and enjoy comfortable fishing. The 'macho-style' camouflage color brilliantly fits in the natural environment, and looks a sure option on water.

The package of the new fishing SUP board includes all the necessary extras such as a convenient roller bag, a collapsible paddle, an Italian-manufactured double-acting pump, a leash, and a repair kit.



FISHIN
G
12'6



Model	FISHING 12'6
Material	Double layer Fusion
Length (ft, cm)	12'6/385
Width (inch, cm)	38/97
Thickness (inch, cm)	6/15
Riders weight (max Kg)	250
Maximum pressure	25PSI
Warranty	3 years

ART 90th



ART AVO



ART MERMAID



ART FOREST



ART SEAL



ART OCTOPUS



Model	90th 10.6	90th 10.8	90th 11.4	90th 12.6	AVO 10.6	AVO 10.8	AVO 11.4	AVO 12.6	MERMAID 10.6	MERMAID 10.8	MERMAID 11.4	MERMAID 12.6	FOREST 10.6	FOREST 10.8	FOREST 11.4	FOREST 12.6	SEAL 10.6	SEAL 10.8	SEAL 11.4	SEAL 12.6	OCTOPUS 10.6	OCTOPUS 10.8	OCTOPUS 11.4	OCTOPUS 12.6
Material	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)
Length (ft, cm)	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thickness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	90	150	120	130	90	150	120	130	90	150	120	130	90	150	120	130	90	150	120	130	90	150
Volume (litres)	240	296	250	330	240	296	250	330	240	296	250	330	240	296	250	330	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

ART NATURE



ART SHRIMP



ART RIDE



ART SUP my love



ART SWAG



ART TATTOO



Model	NATURE 10.6	NATURE 10.8	NATURE 11.4	NATURE 12.6	SHRIMP 10.6	SHRIMP 10.8	SHRIMP 11.4	SHRIMP 12.6	RIDE 10.6	RIDE 10.8	RIDE 11.4	RIDE 12.6	SUP my love 10.6	SUP my love 10.8	SUP my love 11.4	SUP my love 12.6	SWAG 10.6	SWAG 10.8	SWAG 11.4	SWAG 12.6	TATTOO 10.6	TATTOO 10.8	TATTOO 11.4	TATTOO 12.6
Material	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)	Double layer MSL(Fusion)
Length (ft, cm)	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384	10.6'/323	10.8'/329	11.4'/347	12.6'/384
Width (inch, cm)	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79	32 / 81	34 / 86	32 / 81	31 / 79
Thickness (inch, cm)	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15	4.75 / 12	6 / 15
Weight(Kg)	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11	9,5	10,5	10,5	11
Riders weight (max Kg)	120	130	90	150	120	130	90	150	120	130	90	150	120	130	90	150	120	130	90	150	120	130	90	150
Volume (litres)	240	296	250	330	240	296	250	330	240	296	250	330	240	296	250	330	240	296	250	330	240	296	250	330
Maximum pressure	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI	26PSI
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

Thank you
for attention